Contents to volume 332

Minireview

Molecular evolution of P450 superfamily and P450-containing monooxygenase systems (FEBS 13069) *K.N. Degtyarenko, A.I. Archakov* 1

Research Letters

Differential modulation of pancreatic β-cell bursting by intracellular pH in the presence and absence of a K-ATP channel blocker (FEBS 13054) *R.M. Barbosa, A.P. Salgado, R.M. Santos, L.M. Rosário* 9

Differential expression of AMPA glutamate receptor mRNAs in the rat adrenal gland (FEBS 13059) *P. Kristensen* 14

Down-regulation of monocytic VLA-4 leads to a decreased adhesion to VCAM-1 (FEBS 13060) *S. Tiisala, M. Hakkarainen, M.-L. Majuri, P.S. Mattila, P. Mattila, R. Renkonen* 19

Peroxisome proliferators and T3 operate by way of distinct receptors (FEBS 13061) *H. Castelein, P.E. Declercq, G.P. Mannaerts, M.I. Baes* 24

$pp59^{fyn}$ and $pp62^{c\text{-}yes}$ are enriched in SH-SY5Y neuroblastoma growth cones but do not associate to the 38 kDa protein which complexes with $pp60^{c\ src}$ and $pp60^{c\text{-}srcN}$ (FEBS 13062) *G. Meyerson, S. Påhlman* 27

Increased production of endothelin-1 in the hypertrophied rat heart due to pressure overload (FEBS 13064) *R. Yorikane, S. Sakai, T. Miyauchi, T. Sakurai, Y. Sugishita, K. Goto* 31

Kinetic analysis on the substrate specificity of 3-isopropylmalate dehydrogenase (FEBS 13065) *K. Miyazaki, K. Kakinuma, H. Terasawa, T. Oshima* 35

Tyr-139 in *Thermus thermophilus* 3-isopropylmalate dehydrogenase is involved in catalytic function (FEBS 13066) *K. Miyazaki, T. Oshima* 37

Production and characterization of monoclonal antibodies specific for different epitopes of human tenascin (FEBS 13063) *E. Balza, A. Siri, M. Ponassi, F. Caocci, A. Linnala, I. Virtanen, L. Zardi* 39

Two distinct modalities of NMDA-receptor inactivation induced by calcium influx in cultured rat hippocampal neurons (FEBS 13068) *A.F. Schinder, M. Montal* 44

The DsbA-DsbB system affects the formation of disulfide bonds in periplasmic but not in intramembraneous protein domains (FEBS 13070) *P. Whitley, G. von Heijne* 49

cDNA cloning of rat proteasome subunit RC7-I, a homologue of yeast PRE1 essential for chymotrypsin-like activity (FEBS 13071) *C. Nishimura, T. Tamura, F. Tokunaga, K. Tanaka, A. Ichihara* 52

The synthesis of α_2-macroglobulin by rat mammary myoepithelial cells is regulated by synergism between glucocorticoids and cytokines (FEBS 13072) *M.J. Warburton, B.A. Gusterson, M.J. O'Hare* 57

Identification of a new *b*-type cytochrome from the whitefish *Coregonidae* eggs (FEBS 13078) *D.S. Valyushok, V.Y. Bykhovsky, A.M. Arutjunjan, V.Y. Artzatbanov* 61

Calorimetric characterization of the stable complex of myosin subfragment 1 with ADP and beryllium fluoride (FEBS 13076) *A.A. Bobkov, N.V. Khvorov, N.L. Golitsina, D.I. Levitsky* 64

pH dependence of the formation of an M-type intermediate in the photocycle of 13-*cis*-bacteriorhodopsin (FEBS 13075) *L.A. Drachev, S.V. Dracheva, A.D. Kaulen* 67

Yeast coatomer contains a subunit homologous to mammalian β'-COP (FEBS 13074) *C. Harter, E. Draken, F. Lottspeich, F.T. Wieland* 71

Cloning, sequence and expression of the gene encoding the malolactic enzyme from *Lactococcus lactis* (FEBS 13080) *V. Ansanay, S. Dequin, B. Blondin, P. Barre* 74

Assignment of the backbone ^1H and ^{15}N NMR resonances and secondary structure characterization of barstar (FEBS 13079) *M.J. Lubienski, M. Bycroft, D.N.M. Jones, A.R. Fersht* 81

The 5′ untranslated region of the human γ-glutamyl transferase mRNA contains a tissue-specific active translational enhancer (FEBS 13081) *M. Diederich, M. Wellman, A. Visvikis, A. Puga, G. Siest* 88

A survey of a functional amino acid of class C β-lactamase corresponding to Glu^{166} of class A β-lactamases (FEBS 13073) *M. Nukaga, K. Tanimoto, K. Tsukamoto, S. Imajo, M. Ishiguro, T. Sawai* 93

Prevention of the induced synthesis and secretion of group II phospholipase A_2 by brefeldin A (FEBS 13045) *R.M. Sánchez, M.J.B.M. Vervoordeldonk, C.G. Schalkwijk, H. van den Bosch* 99

Endoproteolysis of non-CAAX-containing isoprenylated peptides (FEBS 13053) *Y.-T. Ma, R.R. Rando* 105

Distinct expression of two *Drosophila* homologs of fibroblast growth factor receptors in imaginal discs (FEBS 13077) *Y. Emori, K. Saigo* 111

27-Hydroxycholesterol modulation of low density lipoprotein metabolism in cultured human hepatic and extrahepatic cells (FEBS 13082) *S. Bellosta, A. Corsini, F. Bernini, A. Granata, G. Didoni, M. Mazzotti, R. Fumagalli* 115

A change in soybean agglutinin binding patterns of bovine milk fat globule membrane glycoproteins during early lactation (FEBS 13084) *M. Ujita, K. Furukawa, N. Aoki, T. Sato, A. Noda, R. Nakamura, D.E. Greenwalt, T. Matsuda* 119

Autoimmune Addison's disease: Analysis of autoantibody binding sites on human steroid 21-hydroxylase (FEBS 13085) *N. Wedlock, T. Asawa, A. Baumann-Antczak, B.R. Smith, J. Furmaniak* 123

Assay conditions for the mitochondrial NADH:coenzyme Q oxidoreductase (FEBS 13083) *E. Estornell, R. Fato, F. Pallotti, G. Lenaz* 127

Characterization of the 97 and 103 kDa forms of starch branching enzyme from potato tubers (FEBS 13086) *J. Khoshnoodi, B. Ek, L. Rask, H. Larsson* 132

Residues 1 to 80 of the N-terminal domain of the β subunit confer neuronal bungarotoxin sensitivity and agonist selectivity on neuronal nicotinic receptors (FEBS 13087) *S.V. Wheeler, J.E. Chad, R. Foreman* 139

Topological characterization and modeling of the 3D structure of lipase from *Pseudomonas aeruginosa* (FEBS 13089) *K.-E. Jaeger, S. Ransac, H.B. Koch, F. Ferrato, B.W. Dijkstra* 143

Solvent oxygen is not incorporated into N^{10}-formyltetrahydrofolate in the reaction catalyzed by N^{10}-formyltetrahydrofolate synthetase (FEBS 13090) *S. Song, H. Jahansouz, R.H. Himes* 150

Characterization of the P4 promoter region of the human insulin-like growth factor II gene (FEBS 13091) *S.W. Hyun, S.-J. Kim, K. Park, H.M. Rho, Y.I. Lee* 153

Carcinogenic antioxidants: Diethylstilboestrol, hexoestrol and 17 α-ethynyloestradiol (FEBS 13093) *H. Wiseman, B. Halliwell* 159

Induction of phosphatidic acid by fibroblast growth factor in cultured baby hamster kidney fibroblasts (FEBS 13094) *T. Motoike, S. Bieger, H. Wiegandt, K. Unsicker* 164

Protein kinase C α, δ, ε and ζ in C_6 glioma cells: TPA induces translocation and down-regulation of conventional and new PKC isoforms but not atypical PKC ζ (FEBS 13100) *C.-C. Chen* 169

Published by Elsevier Science Publishers B.V.

Differential shedding of the two subunits of the interleukin-6 receptor (FEBS 13109) *J. Müllberg, E. Dittrich, L. Graeve, C. Gerhartz, K. Yasukawa, T. Taga, T. Kishimoto, P.C. Heinrich, S. Rose-John* 174
Improved gene transfer by direct plasmid injection associated with regeneration in mouse skeletal muscle (FEBS 13092) *D.J. Wells* 179
Characterisation of biotinylated liposomes for in vivo targeting applications (FEBS 13102) *H.C. Loughrey, A. Ferraretto, A.-M. Cannon, G. Acerbis, F. Sudati, G. Bottiroli, M. Masserini, M.R. Soria* 183
Triple helix formation at $A_8XA_8 \cdot T_8YT_8$ (FEBS 13106) *S.P. Chandler, K.R. Fox* 189
Anisodamine causes acyl chain interdigitation in phosphatidylglycerol (FEBS 13118) *P.-y. Wang, J.-w. Chen, F. Hwang* 193
Chemical structure of lipid A from *Porphyromonas* (*Bacteroides*) *gingivalis* lipopolysaccharide (FEBS 13114) *T. Ogawa* 197

Corrigendum 202

Minireview

Redox control of transcription: sensors, response regulators, activators and repressors (FEBS 13088) *J.F. Allen* 203

Research Letters

2-Oxo-histidine as a novel biological marker for oxidatively modified proteins (FEBS 13096) *K. Uchida, S. Kawakishi* 208
Human α_2-macroglobulin structure: Location of Cys-949 residues within a half-molecule measured by fluorescence energy transfer (FEBS 13098) *P.G.W. Gettins, B.C. Crews* 211
Prenylated protein methyltransferase of rat cerebellum is developmentally co-expressed with its substrates (FEBS 13099) *A. Paz, G. Ben-Baruch, D. Marciano, Y. Egozi, R. Haklai, Y. Kloog* 215
Fragmentation of DNA in $P388D_1$ macrophages exposed to oxidised low-density lipoprotein (FEBS 13104) *V.C. Reid, S.J. Hardwick, M.J. Mitchinson* 218
A comparative evaluation of the metabolic profiles of normal and inflammatory knee-joint synovial fluids by high resolution proton NMR spectroscopy (FEBS 13097) *D.P. Naughton, R. Haywood, D.R. Blake, S. Edmonds, G.E. Hawkes, M. Grootveld* 221
Mass spectrometric evidence for a disulfide bond in aequorin regeneration (FEBS 13111) *Y. Ohmiya, S. Kurono, M. Ohashi, T.F. Fagan, F.I. Tsuji* 226
Characterisation of ATP binding inhibition to the sarcoplasmic reticulum Ca^{2+}-ATPase by thapsigargin (FEBS 13105) *F. DeJesus, J.-L. Girardet, Y. Dupont* 229
Aspirin induces non-enzymatic formation of platelet-activating factor from lyso platelet-activating factor (FEBS 13103) *K. Mabuchi-Itoh, T. Sugiura, N.-n. Cheng, K. Waku* 233
Enhancement of Ca^{2+} release channel activity by phosphorylation of the skeletal muscle ryanodine receptor (FEBS 13107) *A. Herrmann-Frank, M. Varsányi* 237
Purification and antipathogenic activity of lipid transfer proteins (LTPs) from the leaves of *Arabidopsis* and spinach (FEBS 13108) *A. Segura, M. Moreno, F. García-Olmedo* 243
Role of isoprenylation in intracellular pH regulation of granulocytes (FEBS 13110) *R. Arellano, S. Grinstein* 247
In vitro activation of pro-cathepsin B by three serine proteinases: leucocyte elastase, cathepsin G, and the urokinase-type plasminogen activator (FEBS 13113) *V. Dalet-Fumeron, N. Guinec, M. Pagano* 251
Tetrahydrobiopterin-dependent nitrite oxidation to nitrate in isolated rat hepatocytes (FEBS 13112) *Y.-M. Kim, J.R. Lancaster Jr.* 255
The effect of sugars on the morphology of the bacterial flagellum (FEBS 13116) *M. Seville, T. Ikeda, H. Hotani* 260
Modulation of $\alpha_1\beta_1$, $\alpha_2\beta_1$, and $\alpha_3\beta_1$ integrin heterodimers during human neuroblastoma cell differentiation (FEBS 13115) *C. Rozzo, P. Ratti, M. Ponzoni, P. Cornaglia-Ferraris* 263
Selective interaction of ferricyanide with cluster I of *Clostridium pasteurianum* 2[Fe_4S_4] ferredoxin (FEBS 13117) *I. Bertini, F. Briganti, L. Calzolai, L. Messori, A. Scozzafava* 268
Purified yeast aspartic protease 3 cleaves anglerfish pro-somatostatin I and II at di- and monobasic sites to generate somatostatin-14 and -28 (FEBS 13120) *N.X. Cawley, B.D. Noe, Y.P. Loh* 273
A constitutive form of heat-shock protein 70 is located in the outer membranes of mitochondria from rat liver (FEBS 13119) *T. Lithgow, M. Ryan, R.L. Anderson, P.B. Høj, N.J. Hoogenraad* 277
Molecular structure of ras-related small GTP-binding protein genes of rice plants and GTPase activities of gene products in *Escherichia coli* (FEBS 13121) *S.-I. Kidou, T. Anai, M. Umeda, S. Aotsuka, T. Tsuge, A. Kato, H. Uchimiya* 282
The reaction of ascorbic acid with different heme iron redox states of myoglobin: Antioxidant and prooxidant aspects (FEBS 13122) *C. Giulivi, E. Cadenas* 287
Influence of illumination on the electronic interaction between ^{77}Se and nickel in active F_{420}-non-reducing hydrogenase from *Methanococcus voltae* (FEBS 13127) *O. Sorgenfrei, A. Klein, S.P.J. Albracht* 291

Author index to Volume 332 298

Contents to Volume 332 302